ELSEVIER

Forest Ecology and Management 186 (2003) 391–392

Forest Ecology and Management

www.elsevier.com/locate/foreco

Contents of *Forest Ecology and Management*, Volume 186

VOLUME 186, ISSUES 1–3 **5 DECEMBER 2003**

Small-scale invasion pattern, spread rate, and lag-phase behavior of *Rhamnus frangula* L.
B. Frappier, T.D. Lee, K.F. Olson and R.T. Eckert (Durham, NH, USA) 1
Adaptation of Hagihara's competition–density theory for practical application to natural birch stands
T. Stankova (Sofia, Bulgaria) and M. Shibuya (Sapporo, Japan) 7
Water-retention characteristics and related physical properties of soil on afforested agricultural land in Finland
A. Wall (Kannus, Finland) and J. Heiskanen (Suonenjoki, Finland) 21
Responses of available soil nitrogen and litter decomposition to openings of different sizes in dry interior Douglas-fir forests in British Columbia
G.D. Hope (Kamloops, Canada), C.E. Prescott and L.L. Blevins (Vancouver, Canada) 33
The effect of shrub clearing on the control of the fire-prone species *Ulex parviflorus*
M.J. Baeza (Valencia, Spain), J. Raventós, A. Escarré (Alicante, Spain) and V.R. Vallejo (Valencia, Spain) 47
Tree species composition, dispersion and diversity along a disturbance gradient in a dry tropical forest region of India
R. Sagar, A.S. Raghubanshi and J.S. Singh (Varanasi, India) 61
Vitality analysis of Scots pines using a multivariate approach
H. Schulz and S. Härtling (Halle, Germany) 73
Studies of the impact of forests on peak flows and baseflows: a European perspective
M. Robinson (Oxon, UK), A.-L. Cognard-Plancq (Avignon, France), C. Cosandey (Meudon, France), J. David (Lisbon, Portugal), P. Durand (Rennes, France), H.-W. Führer (Münden, Germany), R. Hall (Oxon, UK), M.O. Hendriques (Lisbon, Portugal), V. Marc (Avignon, France), R. McCarthy (Wicklow, Ireland), M. McDonnell (Galway, Ireland), C. Martin (Nice, France), T. Nisbet (Surrey, UK), P. O'Dea (Wicklow, Ireland), M. Rodgers (Galway, Ireland) and A. Zollner (Freising, Germany) 85
Impacts and management implications of ice storms on forests in the southern United States
D.C. Bragg, M.G. Shelton and B. Zeide (Monticello, AR, USA) 99
Composition and aboveground tree biomass of a dry semi-evergreen forest on Mexico's Yucatan Peninsula
M.A. Cairns (Corvallis, OR, USA), I. Olmsted, J. Granados and J. Argaez (Yucatán, Mexico) 125
Effects of ice storm-created gaps on forest breeding bird communities in central Vermont
S.D. Faccio (Woodstock, VT, USA) 133
Post-burn vegetation development of rehabilitated bauxite mines in western Australia
C.D. Grant (Applecross, Australia) 147
Tropical forest stand table modelling from SAR data
T. Neeff (São José dos Campos, Brazil and Berkeley CA, USA), L. Vieira Dutra, J.R. dos Santos, C. de Costa Freitas and L.S. Araujo (São José dos Campos, Brazil) 159
Phosphorus limitation on nitrogen fixation by *Facaltaria* seedlings
D. Binkley (Ft. Collins, CO, USA), R. Senock (Hilo, HI, USA) and K. Cromack Jr. (Corvallis, OR, USA) 171
Effect of calcareous road dust on land snails (Gastropoda: Pulmonata) and millipedes (Diplopoda) in acid forest soils of the Daniel Boone National Forest of Kentucky, USA
P.J. Kalisz and J.E. Powell (Lexington, KY, USA) 177
Cone consumption by southeastern fox squirrels: a potential basis for clonal preferences in a loblolly and slash pine seed orchard
C. Asaro (Athens, GA, USA), S.C. Loeb (Clemson, SC, USA) and J.L. Hanula (Athens, GA, USA) 185
Change in soil carbon and nutrient storage after human disturbance of a primary Korean pine forest in Northeast China
X. Chen (Riverside, CA, USA and Beijing, PR China) and B.-L. Li (Riverside, CA, USA) 197

doi:10.1016/S0378-1127(03)00493-6

Host preference of three elms and hackberry for elm leaf beetle, *Xanthogaleruca* (=*pyrrhalta*) *luteola* (Coleoptera: Chrysomelidae)
M.K. Mahani, B. Hatami and H. Seyedoleslami (Isfahan, Iran) 207
Soil microbial biomass during the early establishment of hoop pine plantation: seasonal variation and impacts of site preparation
C.R. Chen (Nathan, Australia), Z.H. Xu (Nathan, Australia and Indooroopilly, Australia), T.J. Blumfield and J.M. Hughes (Nathan, Australia) 213
Branch propagation, not cladoptosis, permits dispersive, clonal reproduction of riparian cottonwoods
S.B. Rood, A.R. Kalischuk, M.L. Polzin (Lethbridge, Canada) and J.H. Braatne (Moscow, ID, USA) 227
Light, temperature, and soil moisture responses to elevation, evergreen understory, and small canopy gaps in the southern Appalachians
B.D. Clinton (Otto, NC, USA) 243
Co-incident variations in growth rate and heartwood extractive concentration in Douglas-fir
A.M. Taylor, B.L. Gartner and J.J. Morrell (Corvallis, OR, USA) 257
Impact of old foliage removal, simulating defoliation by the balsam fir sawfly, on balsam fir tree growth and photosynthesis of current-year shoots
C.H.A. Little, M.B. Lavigne and D.P. Ostaff (Fredericton, Canada) 261
Potential of commercial hardwood forestry plantations in arid lands—an economic analyses of *Prosopis* lumber production in Argentina and the United States
P. Felker (Santiago del Estero, Argentina and Tucumán, Argentina) and J.C. Guevara (Mendoza, Argentina) 271
Needle mass, fine root and stem wood production in response to silvicultural treatment, tree size and competitive status in radiata pine stands
R. Rodríguez, M. Espinosa, G. Hofmann and M. Marchant (Concepción, Chile) 287
Use of a spatially explicit individual-tree model (SORTIE/BC) to explore the implications of patchiness in structurally complex forests
K. David Coates (Smithers, Canada), C.D. Canham (Millbrook, NY, USA), M. Beaudet (Montréal, Canada), D.L. Sachs (Vancouver, Canada) and C. Messier (Montréal, Canada) 297
Big-leaf mahogany (*Swietenia macrophylla*) seedling survival and growth across a topographic gradient in southeast Pará, Brazil
J. Grogan (New Haven, CT, USA and Pará, Brazil), M.S. Ashton (New Haven, CT, USA) and J. Galvão (Pará, Brazil) 311
Responses of tree-type and shrub-type *Prosopis* (Mimosaceae) taxa to water and nitrogen availabilities
A.E. Vilela (Chubut, Argentina), M.J. Rennella and D.A. Ravetta (Buenos Aires, Argentina) 327
Influence of Bravo fungicide applications on wood density and moisture content of Swiss needle cast affected Douglas-fir trees
G.R. Johnson, B.L. Gartner, D. Maguire (Corvallis, OR, USA) and A. Kanaskie (Salem, OR, USA) 339
Factors influencing deer browsing damage to red spruce (*Picea rubens*) seedlings in coastal red spruce–balsam fir stands of southwestern Nova Scotia
G. Reyes and L. Vasseur (Halifax, Canada) 349
Genetic variation in branchlet carbon and nitrogen isotope composition and nutrient concentration of 11-year-old hoop pine families in relation to tree growth in subtropical Australia
Z. Xu (Indooroopilly, Australia and Nathan, Australia), N. Prasolova (Nathan, Australia), K. Lundkvist (Uppsala, Sweden), C. Beadle (Hobart, Australia and Nathan, Australia) and T. Leaman (Nathan, Australia) 359
Bias in the mean tree model as a consequence of Jensen's inequality
R.A. Duursma and A.P. Robinson (Moscow, ID, USA) 373
Effect of fertilization and irrigation on growth of aspen (*Populus tremuloides* Michx.) seedlings over three seasons
R. van den Driessche (Victoria, Canada), W. Rude (Drayton Valley, Canada) and L. Martens (Edmonton, Canada) 381

Contents of *Forest Ecology and Management*, Volume 186 391